

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|------------------|---------|------------------|
| L1 | 10 | ((("3644751") or ("5012237") or ("6356085") or ("20050134292") or ("20050077909"))). PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/09/16 12:24 |
| L2 | 7 | 11 and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 12:21 |
| L3 | 529 | (324/661,678.ccls.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:23 |
| L4 | 452 | 13 and capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:23 |
| L5 | 174 | 14 and (((potential voltage charg\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:24 |
| L7 | 143 | (323/370,369,364.ccls.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:45 |
| L8 | 25 | 17 and capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:25 |

| | | | | | | |
|----|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|-----|------------------|
| L9 | 7 | I8 and (((potential voltage charge\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:25 |
| S1 | 2 | ("20050116700").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/09/14 12:43 |
| S2 | 400 | (324/658.ccls.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 08:20 |
| S3 | 235 | (324/649,600.ccls.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:14 |
| S4 | 159 | potential adj2 fix\$3 adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 09:03 |
| S5 | 11 | S4 and first same second same capacitance | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 08:30 |
| S6 | 103 | potential adj fix\$3 adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 13:02 |
| S7 | 3 | S6 and first adj capacit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 10:27 |

| | | | | | | |
|-----|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|-----|------------------|
| S8 | 3 | S7 and second adj capacit\$5 | | OR | ON | 2005/08/23 08:31 |
| S9 | 2268 | ((connect\$5 engag\$5 assemb1\$5 attach\$5 plug\$5 coupl\$5 unit\$5 adapt\$5 interfac\$3) near3 (first adj capacit\$5) near3 (second adj capacit\$5)) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:26 |
| S10 | 18 | S9 and direct\$3 near3 (first adj capacit\$5) near3 (second adj capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 08:56 |
| S11 | 2 | S10 and potential near2 fix\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 13:02 |
| S12 | 3 | S10 and potential near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant \$4consisten\$3 sam\$1 constant uniform) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 09:55 |
| S13 | 12 | ((("5969995") or ("5970096") or ("5815029") or ("5469391") or ("5345411") or ("5050187"))).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/08/23 10:06 |
| S14 | 10 | S13 and potential adj fix\$3 adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 10:26 |
| S15 | 179 | ((connect\$5 communicat\$5 transmiss\$5 signal) adj (line link channel interface)) near3 (potential near2 fix\$3) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 10:22 |

| | | | | | | |
|-----|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|-----|------------------|
| S16 | 7 | S15 and potential adj fix\$3 adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 10:32 |
| S17 | 2 | S16 and capacit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 10:31 |
| S18 | 4 | S14 and capacit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 10:28 |
| S19 | 13 | ((potential adj fix\$3 adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance)) with (configuration structure descri\$5)) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 12:24 |
| S20 | 2 | ((potential adj (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant) adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance)) with (configuration structure descri\$5)) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 13:52 |
| S21 | 2 | ("6340902").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/08/23 12:26 |
| S22 | 0 | ((("324"/\$.ccls. "702"/\$.ccls. "73"/\$.ccls.) and (potential adj fix\$3 adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance))) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 10:51 |
| S23 | 0 | ((324/658.ccls.) and (potential adj fix\$3 adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance))) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 12:36 |

| | | | | | | |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|----|------------------|
| S24 | 31948 | capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:37 |
| S25 | 7204 | S24 and (check\$3 detect\$3 sens\$3 measur\$5) adj capacit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 16:24 |
| S26 | 133 | S25 and potential near2 fix\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 13:04 |
| S27 | 1 | S26 and (potential adj fix\$3 adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance)) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 13:04 |
| S28 | 160049 | ((potential voltage) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant)) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 16:33 |
| S29 | 9 | S28 and compensat\$5 near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance current) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 13:58 |
| S30 | 1 | S25 and compensat\$5 near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance current) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 16:23 |
| S31 | 350 | S24 and ((detect\$3 sens\$3 measur\$5) adj capacit\$5) same ((feedback fixed second othe\$1) adj capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 09:51 |

| | | | | | | |
|-----|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|----|------------------|
| S32 | 1 | S31 and (voltage adj2 (regulat\$5 divider)) with capacit\$5 with (differen\$5 adj amplifier) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 09:37 |
| S33 | 96 | S31 and ((potential voltage) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant)) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 16:36 |
| S34 | 23 | S31 and ((potential voltage) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant)) near3 capacit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 16:42 |
| S35 | 9 | S31 and (((potential voltage) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant)) near3 capacit\$5) with (\$2adjust\$ regulat\$3 fit\$4 chang\$3 calibrat\$5 control\$5 maintain\$5 stabl\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/23 16:45 |
| S36 | 31948 | (capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance)) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 10:58 |
| S37 | 82 | S36 and (voltage adj2 (regulat\$5 divider)) same capacit\$5 same (differen\$5 adj amplifier) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 10:02 |
| S38 | 2 | S37 and ((detect\$3 sens\$3 measur\$5) adj capacit\$5) same ((feedback fixed second othe\$1) adj capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 11:11 |
| S39 | 25201 | (read\$1out adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance)) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 10:02 |

| | | | | | | |
|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|-----|------------------|
| S40 | 21 | S39 and ((detect\$3 sens\$3 measur\$5) adj capacit\$5) same ((feedback fixed second othe\$1) adj capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:36 |
| S41 | 117 | ((("320"/\$ ccls.) and (((potential voltage) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) near3 capacit\$5) same (\$2adjust\$ regulat\$3 fit\$4 chang\$3 calibrat\$5 control\$5 maintain\$5 stabl\$7)) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 11:08 |
| S42 | 24 | S41 and (capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identit\$7 record\$5 meter\$5) near2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance)) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 11:00 |
| S43 | 1911 | (((((potential voltage) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) near3 capacit\$5) near5 (\$2adjust\$ regulat\$3 fit\$4 chang\$3 calibrat\$5 control\$5 maintain\$5 stabl\$7)) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:44 |
| S44 | 14 | S43 and ((detect\$3 sens\$3 measur\$5) adj capacit\$5) same ((feedback fixed second othe\$1) adj capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/08/24 11:12 |
| S45 | 1 | ep-1555535-\$ did. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 13:10 |
| S46 | 2 | ("4558274").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/09/14 13:12 |

| | | | | | | |
|-----|-----|--------------------------------------------|--------------------------------------------------------------------|----|----|------------------|
| S47 | 1 | jp-59180710-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 13:35 |
| S48 | 1 | jp-60195753-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 13:35 |
| S49 | 1 | jp-61185640-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:06 |
| S50 | 1 | jp-02301677-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 13:41 |
| S51 | 2 | jp-2000209862-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 13:41 |
| S52 | 2 | jp-2002323523-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:04 |
| S53 | 561 | (324/519,548,686.ccls.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:14 |

| | | | | | | |
|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|----|------------------|
| S54 | 927 | (324/72,76.66.ccls.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:29 |
| S55 | 314 | (320/166.ccls.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:30 |
| S56 | 453 | S53 and capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:37 |
| S57 | 124 | S54 and capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:40 |
| S58 | 113 | S55 and capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:50 |
| S59 | 81 | S56 and (((potential voltage charg\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:05 |
| S60 | 22 | S57 and (((potential voltage charg\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:48 |
| S61 | 60 | S58 and (((potential voltage charg\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:49 |

| | | | | | | | |
|-----|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------|----|-----|------------------|
| S62 | 2 | ("5012237").PN. | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/09/14 14:48 |
| S63 | 4335 | (324/158.1.ccls.) and @ad<"20021022" | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 14:49 |
| S64 | 1005 | (324/76.11.ccls.) and @ad<"20021022" | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 12:20 |
| S65 | 291 | S63 and capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5) | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:17 |
| S66 | 42 | S64 and capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7 record\$5 meter\$5) | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:33 |
| S67 | 20 | S65 and (((potential voltage charg\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/16 14:18 |
| S68 | 2 | S66 and (((potential voltage charg\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:32 |
| S69 | 2 | jp-2002323523-\$.did. | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:07 |

| | | | | | | | |
|-----|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------|----|----|------------------|
| S70 | 2 | jp-2003156524-\$.did. | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:07 |
| S71 | 13201 | ((connect\$5 engag\$5 assemb1\$5 attach\$5 plug\$5 coupl\$5 unit\$5 adapt\$5 interfac\$3) same (first adj capacit\$5) same (second adj capacit\$5)) and @ad<"20021022" | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:31 |
| S72 | 493 | S71 and (((connect\$5 communicat\$5 transmiss\$5 signal) adj (line link channel interface)) same (first adj capacit\$5) same (second adj capacit\$5)) | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:43 |
| S73 | 67 | S72 and (((potential voltage charg\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:45 |
| S74 | 30 | S73 and capacit\$5 near2 (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7 record\$5 meter\$5) | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 15:34 |
| S75 | 12893 | (capacit\$5 and ((steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1 maintain\$5 stabl\$5) with electrostatic\$3)) and @ad<"20021022" | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:14 |
| S76 | 93300 | ((("324"/\$.ccls.) ("320"/\$.ccls.)) and @ad<"20021022" | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:15 |
| S77 | 593 | S75 and S76 | | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:16 |

| | | | | | | |
|-----|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|-----|------------------|
| S78 | 123 | S77 and integrat\$5 adj circuit | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:17 |
| S79 | 24 | S77 and (voltage adj divider) with capacit\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:18 |
| S80 | 5 | S78 and (voltage adj divider) with capacit\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:22 |
| S81 | 6 | ((("6763697") or ("3901079")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | OFF | 2005/09/14 16:23 |
| S82 | 959 | (potential voltage charg\$5 electrostatic\$5) adj2 fix\$3 adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:41 |
| S83 | 2 | S82 and (((connect\$5 communicat\$5 transmiss\$5 signal) adj (line link channel interface)) same (first adj capacit\$5) same (second adj capacit\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/14 16:47 |
| S84 | 65 | S82 and (((potential voltage charg\$5 electrostatic\$5) near2 (steady uniform stable fixed undeviating unchanging unvarying invariable permanent equable unexcitable constant sam\$1)) with capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 08:00 |

| | | | | | | |
|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|----|------------------|
| S85 | 48 | (((potential voltage charge\$5 electrostatics\$5) and (stead\$3 uniform\$3 fixed\$3 undeviating\$3 unchanging\$3 unvarying\$3 invariabl\$3 permanent\$3 equabl\$3 unexcitabl\$3 constant\$2 sam\$1 maintain\$5 stabl\$5) and ((connect\$5 communicat\$5 transmiss\$5 signal\$3) adj2 (line link channel interface)) and (first adj2 capacit\$5) and (second adj2 capacit\$5) and (voltage adj2 (supply source)) and (output adj (jack port terminal plug))).clm.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 10:19 |
| S86 | 13 | (((potential voltage charge\$5 electrostatics\$5) and fix\$3 and (stead\$3 uniform\$3 fixed\$3 undeviating\$3 unchanging\$3 unvarying\$3 invariabl\$3 permanent\$3 equabl\$3 unexcitabl\$3 constant\$2 sam\$1 maintain\$5 stabl\$5) and ((connect\$5 communicat\$5 transmiss\$5 signal\$3) adj2 (line link channel interface)) and (first adj2 capacit\$5) and (second adj2 capacit\$5) and (voltage adj2 (supply source)) and (output adj (jack port terminal plug))).clm.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 08:18 |
| S87 | 5 | (((potential voltage charge\$5 electrostatics\$5) and fix\$3 and (stead\$3 uniform\$3 fixed\$3 undeviating\$3 unchanging\$3 unvarying\$3 invariabl\$3 permanent\$3 equabl\$3 unexcitabl\$3 constant\$2 sam\$1 maintain\$5 stabl\$5) and ((impedance resistance capacitance inductance) and ((connect\$5 communicat\$5 transmiss\$5 signal\$3) adj2 (line link channel interface)) and (first adj2 capacit\$5) and (second adj2 capacit\$5) and (voltage adj2 (supply source)) and (output adj (jack port terminal plug))).clm.) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 08:33 |
| S88 | 268 | (potential voltage charge\$5 electrostatics\$5) adj fix\$3 adj (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment cell appliance) and @ad<"20021022" | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 09:06 |
| S89 | 5 | S88 and (first adj capacit\$5) same (second adj capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 10:08 |
| S90 | 7 | S88 and (first adj2 capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 10:08 |
| S91 | 6 | S90 and (second adj2 capacit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 10:09 |

| | | | | | | |
|-----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|----|------------------|
| S92 | 15 | S88 and ((potential voltage charge\$5 electrostatic\$5) near3 (stead\$3 uniform\$3 fixed\$3 undeviating\$3 unchanging\$3 unvarying\$3 invariabl\$3 permanent\$3 equabl\$3 unexcitabl\$3 constant\$2 sam\$1 maintain\$5 stabl\$5)) with capacit\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2005/09/15 11:33 |
|-----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----|----|------------------|